

Modelled Annual Mean NO₂ (µg/m³) 2026 Do Something 1

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 1						
BA1c	32.55	32.66	82%	Low	0.11	0.3%	Negligible	Negligible
BA1	49.26	49.3	123%	Very High	0.04	0.1%	Negligible	Negligible
1	25.27	25.31	63%	Negligible	0.04	0.1%	Negligible	Negligible
2	37.14	37.16	93%	Medium	0.02	0.1%	Negligible	Negligible
3	23.22	23.27	58%	Negligible	0.05	0.1%	Negligible	Negligible
4	26.29	26.33	66%	Negligible	0.04	0.1%	Negligible	Negligible
5	24.44	24.47	61%	Negligible	0.03	0.1%	Negligible	Negligible
6	26.75	26.8	67%	Negligible	0.05	0.1%	Negligible	Negligible
7	23.95	24.07	60%	Negligible	0.12	0.3%	Negligible	Negligible
8	47.00	47.47	119%	Very High	0.47	1.2%	Low Adverse	Moderate Adverse
9	26.62	26.72	67%	Negligible	0.10	0.3%	Negligible	Negligible
10	24.69	25.68	64%	Negligible	0.99	2.5%	Medium Adverse	Negligible
11	22.47	23.89	60%	Negligible	1.42	3.6%	Medium Adverse	Negligible
12	18.91	19.79	49%	Negligible	0.88	2.2%	Medium Adverse	Negligible
13	33.33	34.79	87%	Low	1.46	3.7%	Medium Adverse	Minor Adverse
14	30.00	30.77	77%	Low	0.77	1.9%	Low Adverse	Negligible
15	23.15	23.97	60%	Negligible	0.82	2.1%	Medium Adverse	Negligible
16	21.87	22.51	56%	Negligible	0.64	1.6%	Low Adverse	Negligible
17	19.08	19.34	48%	Negligible	0.26	0.7%	Negligible	Negligible
18	21.06	21.31	53%	Negligible	0.25	0.6%	Negligible	Negligible
19	24.99	25.37	63%	Negligible	0.38	1.0%	Low Adverse	Negligible
20	32.78	33.5	84%	Low	0.72	1.8%	Low Adverse	Negligible
21	27.51	28.16	70%	Negligible	0.65	1.6%	Low Adverse	Negligible
22	38.98	40.01	100%	Medium	1.03	2.6%	Medium Adverse	Moderate Adverse
23	24.54	25.07	63%	Negligible	0.53	1.3%	Low Adverse	Negligible
24	26.61	27.21	68%	Negligible	0.60	1.5%	Low Adverse	Negligible
25	28.02	28.70	72%	Negligible	0.68	1.7%	Low Adverse	Negligible
26	33.65	34.35	86%	Low	0.70	1.8%	Low Adverse	Negligible
27	35.75	36.07	90%	Medium	0.32	0.8%	Negligible	Negligible
28	29.66	30.36	76%	Low	0.70	1.8%	Low Adverse	Negligible
29	37.22	37.49	94%	Medium	0.27	0.7%	Negligible	Negligible
30	37.87	38.12	95%	Medium	0.25	0.6%	Negligible	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 1						
31	44.09	44.37	111%	Very High	0.28	0.7%	Negligible	Negligible
32	37.05	37.34	93%	Medium	0.29	0.7%	Negligible	Negligible
33	42.93	43.07	108%	High	0.14	0.4%	Negligible	Negligible
34	25.43	25.57	64%	Negligible	0.14	0.4%	Negligible	Negligible
35	34.99	35.06	88%	Low	0.07	0.2%	Negligible	Negligible
36	25.01	25.21	63%	Negligible	0.20	0.5%	Negligible	Negligible
37	25.51	25.78	64%	Negligible	0.27	0.7%	Negligible	Negligible
38	24.48	24.74	62%	Negligible	0.26	0.7%	Negligible	Negligible
39	24.2	24.45	61%	Negligible	0.25	0.6%	Negligible	Negligible
40	21.68	21.86	55%	Negligible	0.18	0.5%	Negligible	Negligible
41	21.45	21.64	54%	Negligible	0.19	0.5%	Negligible	Negligible
42	23.2	23.32	58%	Negligible	0.12	0.3%	Negligible	Negligible
43	29.99	30.13	75%	Low	0.14	0.4%	Negligible	Negligible
44	30.30	30.42	76%	Low	0.12	0.3%	Negligible	Negligible
45	26.90	26.96	67%	Negligible	0.06	0.2%	Negligible	Negligible
46	30.62	30.76	77%	Low	0.14	0.4%	Negligible	Negligible
47	27.24	27.35	68%	Negligible	0.11	0.3%	Negligible	Negligible
48	29.83	29.98	75%	Low	0.15	0.4%	Negligible	Negligible
49	26.11	26.21	66%	Negligible	0.10	0.3%	Negligible	Negligible
50	28.47	28.55	71%	Negligible	0.08	0.2%	Negligible	Negligible
51	31.51	31.59	79%	Low	0.08	0.2%	Negligible	Negligible
52	35.93	35.97	90%	Medium	0.04	0.1%	Negligible	Negligible
53	28.00	28.07	70%	Negligible	0.07	0.2%	Negligible	Negligible
54	29.51	29.55	74%	Negligible	0.04	0.1%	Negligible	Negligible
55	32.11	32.15	80%	Low	0.04	0.1%	Negligible	Negligible
56	32.78	32.81	82%	Low	0.03	0.1%	Negligible	Negligible
57	33.77	33.79	84%	Low	0.02	0.1%	Negligible	Negligible
58	26.31	26.44	66%	Negligible	0.13	0.3%	Negligible	Negligible
59	25.09	25.14	63%	Negligible	0.05	0.1%	Negligible	Negligible
60	33.54	33.64	84%	Low	0.10	0.3%	Negligible	Negligible
61	37.81	37.86	95%	Medium	0.05	0.1%	Negligible	Negligible
62	38.99	39.02	98%	Medium	0.03	0.1%	Negligible	Negligible
63	44.19	44.30	111%	Very High	0.11	0.3%	Negligible	Negligible
64	41.44	41.56	104%	High	0.12	0.3%	Negligible	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 1						
65	36.86	36.97	92%	Medium	0.11	0.3%	Negligible	Negligible
66	25.28	25.36	63%	Negligible	0.08	0.2%	Negligible	Negligible
67	23.49	23.58	59%	Negligible	0.09	0.2%	Negligible	Negligible
68	18.90	18.96	47%	Negligible	0.06	0.2%	Negligible	Negligible
69	25.71	25.84	65%	Negligible	0.13	0.3%	Negligible	Negligible
70	27.01	27.15	68%	Negligible	0.14	0.4%	Negligible	Negligible
71	29.36	29.52	74%	Negligible	0.16	0.4%	Negligible	Negligible
72	29.29	29.37	73%	Negligible	0.08	0.2%	Negligible	Negligible
73	32.74	32.85	82%	Low	0.11	0.3%	Negligible	Negligible
74	35.56	35.64	89%	Low	0.08	0.2%	Negligible	Negligible
75	31.18	31.34	78%	Low	0.16	0.4%	Negligible	Negligible
76	22.00	22.09	55%	Negligible	0.09	0.2%	Negligible	Negligible
77	32.32	32.48	81%	Low	0.16	0.4%	Negligible	Negligible
78	34.25	34.34	86%	Low	0.09	0.2%	Negligible	Negligible
79	35.59	35.67	89%	Low	0.08	0.2%	Negligible	Negligible
80	25.88	25.98	65%	Negligible	0.10	0.3%	Negligible	Negligible
81	30.65	30.75	77%	Low	0.10	0.3%	Negligible	Negligible
82	45.38	45.44	114%	Very High	0.06	0.2%	Negligible	Negligible
83	44.22	44.28	111%	Very High	0.06	0.2%	Negligible	Negligible
84	31.12	31.18	78%	Low	0.06	0.2%	Negligible	Negligible
85	25.12	25.17	63%	Negligible	0.05	0.1%	Negligible	Negligible
86	34.25	34.41	86%	Low	0.16	0.4%	Negligible	Negligible
87	32.48	32.68	82%	Low	0.20	0.5%	Negligible	Negligible
88	33.12	33.43	84%	Low	0.31	0.8%	Negligible	Negligible
89	29.78	30.04	75%	Low	0.26	0.7%	Negligible	Negligible
90	34.33	34.99	87%	Low	0.66	1.7%	Low Adverse	Negligible
91	27.99	28.28	71%	Negligible	0.29	0.7%	Negligible	Negligible
92	29.16	29.51	74%	Negligible	0.35	0.9%	Negligible	Negligible
93	24.86	25.13	63%	Negligible	0.27	0.7%	Negligible	Negligible
94	27.39	27.56	69%	Negligible	0.17	0.4%	Negligible	Negligible
95	32.18	32.81	82%	Low	0.63	1.6%	Low Adverse	Negligible
96	35.24	35.53	89%	Low	0.29	0.7%	Negligible	Negligible
97	24.59	24.76	62%	Negligible	0.17	0.4%	Negligible	Negligible
98	20.22	20.31	51%	Negligible	0.09	0.2%	Negligible	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 1						
99	18.7	18.78	47%	Negligible	0.08	0.2%	Negligible	Negligible
100	27.47	27.73	69%	Negligible	0.26	0.7%	Negligible	Negligible
101	22.73	22.91	57%	Negligible	0.18	0.5%	Negligible	Negligible
102	25.24	25.48	64%	Negligible	0.24	0.6%	Negligible	Negligible
103	27.46	27.78	69%	Negligible	0.32	0.8%	Negligible	Negligible
104	34.00	34.46	86%	Low	0.46	1.2%	Low Adverse	Negligible
105	27.67	28.09	70%	Negligible	0.42	1.1%	Low Adverse	Negligible
106	24.36	24.61	62%	Negligible	0.25	0.6%	Negligible	Negligible
107	24.98	25.03	63%	Negligible	0.05	0.1%	Negligible	Negligible
108	24.21	24.25	61%	Negligible	0.04	0.1%	Negligible	Negligible
109	21.84	21.90	55%	Negligible	0.06	0.2%	Negligible	Negligible
110	18.73	18.77	47%	Negligible	0.04	0.1%	Negligible	Negligible
Site 1	24.10	24.14	60%	Negligible	0.04	0.1%	Negligible	Negligible
Site 2	29.84	29.87	75%	Low	0.03	0.1%	Negligible	Negligible
Site 3	31.57	31.60	79%	Low	0.03	0.1%	Negligible	Negligible
Site 4	25.82	25.87	65%	Negligible	0.05	0.1%	Negligible	Negligible
Site 5	28.18	28.23	71%	Negligible	0.05	0.1%	Negligible	Negligible
Site 6	31.77	31.86	80%	Low	0.09	0.2%	Negligible	Negligible
Site 7	18.94	19.64	49%	Negligible	0.70	1.8%	Low Adverse	Negligible
Site 8	16.68	17.09	43%	Negligible	0.41	1.0%	Low Adverse	Negligible
Site 9	19.30	19.89	50%	Negligible	0.59	1.5%	Low Adverse	Negligible
Site 10	21.91	22.75	57%	Negligible	0.84	2.1%	Medium Adverse	Negligible

Modelled Annual Mean PM₁₀ (µg/m³) 2026 Do Something 1

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 1						
BA1c	16.10	16.12	40%	Negligible	0.02	0.1%	Negligible	Negligible
BA1	18.46	18.47	46%	Negligible	0.01	0.0%	Negligible	Negligible
1	14.70	14.71	37%	Negligible	0.01	0.0%	Negligible	Negligible
2	16.70	16.71	42%	Negligible	0.01	0.0%	Negligible	Negligible
3	14.74	14.75	37%	Negligible	0.01	0.0%	Negligible	Negligible
4	15.39	15.40	38%	Negligible	0.01	0.0%	Negligible	Negligible
5	14.59	14.60	36%	Negligible	0.01	0.0%	Negligible	Negligible
6	14.93	14.94	37%	Negligible	0.01	0.0%	Negligible	Negligible
7	14.91	14.93	37%	Negligible	0.02	0.1%	Negligible	Negligible
8	16.81	16.97	42%	Negligible	0.16	0.4%	Negligible	Negligible
9	15.10	15.13	38%	Negligible	0.03	0.1%	Negligible	Negligible
10	14.84	15.06	38%	Negligible	0.21	0.5%	Negligible	Negligible
11	14.59	14.88	37%	Negligible	0.29	0.7%	Negligible	Negligible
12	14.06	14.23	36%	Negligible	0.17	0.4%	Negligible	Negligible
13	15.48	15.76	39%	Negligible	0.28	0.7%	Negligible	Negligible
14	15.26	15.40	38%	Negligible	0.14	0.4%	Negligible	Negligible
15	14.40	14.55	36%	Negligible	0.15	0.4%	Negligible	Negligible
16	14.49	14.62	37%	Negligible	0.13	0.3%	Negligible	Negligible
17	14.19	14.24	36%	Negligible	0.05	0.1%	Negligible	Negligible
18	14.53	14.58	36%	Negligible	0.05	0.1%	Negligible	Negligible
19	14.93	15.00	37%	Negligible	0.06	0.2%	Negligible	Negligible
20	15.93	16.04	40%	Negligible	0.11	0.3%	Negligible	Negligible
21	15.42	15.53	39%	Negligible	0.11	0.3%	Negligible	Negligible
22	16.78	16.96	42%	Negligible	0.17	0.4%	Negligible	Negligible
23	15.19	15.29	38%	Negligible	0.10	0.3%	Negligible	Negligible
24	15.48	15.60	39%	Negligible	0.12	0.3%	Negligible	Negligible
25	15.86	16.01	40%	Negligible	0.14	0.4%	Negligible	Negligible
26	16.40	16.54	41%	Negligible	0.14	0.4%	Negligible	Negligible
27	16.67	16.73	42%	Negligible	0.06	0.2%	Negligible	Negligible
28	16.16	16.31	41%	Negligible	0.15	0.4%	Negligible	Negligible
29	17.67	17.73	44%	Negligible	0.06	0.2%	Negligible	Negligible
30	17.52	17.57	44%	Negligible	0.05	0.1%	Negligible	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 1						
31	17.70	17.76	44%	Negligible	0.05	0.1%	Negligible	Negligible
32	16.62	16.68	42%	Negligible	0.05	0.1%	Negligible	Negligible
33	17.46	17.49	44%	Negligible	0.03	0.1%	Negligible	Negligible
34	15.08	15.10	38%	Negligible	0.03	0.1%	Negligible	Negligible
35	16.91	16.92	42%	Negligible	0.01	0.0%	Negligible	Negligible
36	15.12	15.16	38%	Negligible	0.04	0.1%	Negligible	Negligible
37	14.96	15.01	38%	Negligible	0.04	0.1%	Negligible	Negligible
38	14.89	14.93	37%	Negligible	0.04	0.1%	Negligible	Negligible
39	14.78	14.82	37%	Negligible	0.04	0.1%	Negligible	Negligible
40	14.57	14.61	37%	Negligible	0.03	0.1%	Negligible	Negligible
41	14.61	14.65	37%	Negligible	0.04	0.1%	Negligible	Negligible
42	14.67	14.70	37%	Negligible	0.02	0.1%	Negligible	Negligible
43	15.53	15.55	39%	Negligible	0.03	0.1%	Negligible	Negligible
44	15.62	15.64	39%	Negligible	0.02	0.1%	Negligible	Negligible
45	15.38	15.39	38%	Negligible	0.01	0.0%	Negligible	Negligible
46	15.71	15.74	39%	Negligible	0.03	0.1%	Negligible	Negligible
47	15.23	15.25	38%	Negligible	0.02	0.1%	Negligible	Negligible
48	15.71	15.74	39%	Negligible	0.03	0.1%	Negligible	Negligible
49	15.47	15.49	39%	Negligible	0.02	0.1%	Negligible	Negligible
50	15.88	15.89	40%	Negligible	0.02	0.1%	Negligible	Negligible
51	16.18	16.20	40%	Negligible	0.02	0.1%	Negligible	Negligible
52	16.76	16.76	42%	Negligible	0.01	0.0%	Negligible	Negligible
53	15.55	15.57	39%	Negligible	0.01	0.0%	Negligible	Negligible
54	15.95	15.96	40%	Negligible	0.01	0.0%	Negligible	Negligible
55	16.20	16.21	41%	Negligible	0.01	0.0%	Negligible	Negligible
56	16.61	16.62	42%	Negligible	0.01	0.0%	Negligible	Negligible
57	16.87	16.87	42%	Negligible	0.01	0.0%	Negligible	Negligible
58	15.35	15.38	38%	Negligible	0.03	0.1%	Negligible	Negligible
59	15.21	15.22	38%	Negligible	0.01	0.0%	Negligible	Negligible
60	15.85	15.87	40%	Negligible	0.02	0.1%	Negligible	Negligible
61	16.62	16.63	42%	Negligible	0.01	0.0%	Negligible	Negligible
62	17.16	17.16	43%	Negligible	0.01	0.0%	Negligible	Negligible
63	17.83	17.86	45%	Negligible	0.02	0.1%	Negligible	Negligible
64	17.94	17.96	45%	Negligible	0.03	0.1%	Negligible	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 1						
65	17.32	17.34	43%	Negligible	0.02	0.1%	Negligible	Negligible
66	15.01	15.02	38%	Negligible	0.02	0.1%	Negligible	Negligible
67	14.88	14.90	37%	Negligible	0.02	0.1%	Negligible	Negligible
68	14.09	14.10	35%	Negligible	0.01	0.0%	Negligible	Negligible
69	14.99	15.01	38%	Negligible	0.02	0.1%	Negligible	Negligible
70	15.48	15.51	39%	Negligible	0.03	0.1%	Negligible	Negligible
71	15.45	15.49	39%	Negligible	0.03	0.1%	Negligible	Negligible
72	15.46	15.49	39%	Negligible	0.03	0.1%	Negligible	Negligible
73	15.69	15.72	39%	Negligible	0.03	0.1%	Negligible	Negligible
74	16.18	16.22	41%	Negligible	0.04	0.1%	Negligible	Negligible
75	15.57	15.60	39%	Negligible	0.03	0.1%	Negligible	Negligible
76	14.62	14.63	37%	Negligible	0.02	0.1%	Negligible	Negligible
77	16.45	16.50	41%	Negligible	0.05	0.1%	Negligible	Negligible
78	16.30	16.34	41%	Negligible	0.04	0.1%	Negligible	Negligible
79	16.38	16.42	41%	Negligible	0.04	0.1%	Negligible	Negligible
80	15.15	15.18	38%	Negligible	0.03	0.1%	Negligible	Negligible
81	15.71	15.74	39%	Negligible	0.03	0.1%	Negligible	Negligible
82	17.85	17.90	45%	Negligible	0.05	0.1%	Negligible	Negligible
83	17.75	17.79	44%	Negligible	0.05	0.1%	Negligible	Negligible
84	15.97	15.99	40%	Negligible	0.02	0.1%	Negligible	Negligible
85	15.29	15.30	38%	Negligible	0.01	0.0%	Negligible	Negligible
86	16.76	16.81	42%	Negligible	0.05	0.1%	Negligible	Negligible
87	15.84	15.89	40%	Negligible	0.05	0.1%	Negligible	Negligible
88	16.00	16.05	40%	Negligible	0.05	0.1%	Negligible	Negligible
89	15.95	16.00	40%	Negligible	0.04	0.1%	Negligible	Negligible
90	16.40	16.51	41%	Negligible	0.11	0.3%	Negligible	Negligible
91	15.49	15.55	39%	Negligible	0.06	0.2%	Negligible	Negligible
92	15.74	15.81	40%	Negligible	0.07	0.2%	Negligible	Negligible
93	15.21	15.26	38%	Negligible	0.05	0.1%	Negligible	Negligible
94	15.61	15.65	39%	Negligible	0.04	0.1%	Negligible	Negligible
95	16.32	16.44	41%	Negligible	0.12	0.3%	Negligible	Negligible
96	17.42	17.48	44%	Negligible	0.06	0.2%	Negligible	Negligible
97	15.24	15.27	38%	Negligible	0.03	0.1%	Negligible	Negligible
98	14.24	14.26	36%	Negligible	0.02	0.1%	Negligible	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 1						
99	14.09	14.10	35%	Negligible	0.01	0.0%	Negligible	Negligible
100	15.31	15.36	38%	Negligible	0.05	0.1%	Negligible	Negligible
101	14.67	14.70	37%	Negligible	0.03	0.1%	Negligible	Negligible
102	15.31	15.36	38%	Negligible	0.05	0.1%	Negligible	Negligible
103	15.19	15.25	38%	Negligible	0.05	0.1%	Negligible	Negligible
104	16.17	16.25	41%	Negligible	0.08	0.2%	Negligible	Negligible
105	15.44	15.52	39%	Negligible	0.08	0.2%	Negligible	Negligible
106	15.15	15.20	38%	Negligible	0.05	0.1%	Negligible	Negligible
107	15.38	15.39	38%	Negligible	0.01	0.0%	Negligible	Negligible
108	15.24	15.25	38%	Negligible	0.01	0.0%	Negligible	Negligible
109	14.76	14.78	37%	Negligible	0.01	0.0%	Negligible	Negligible
110	14.17	14.18	35%	Negligible	0.01	0.0%	Negligible	Negligible
Site 1	14.68	14.69	37%	Negligible	0.01	0.0%	Negligible	Negligible
Site 2	15.34	15.35	38%	Negligible	0.01	0.0%	Negligible	Negligible
Site 3	15.65	15.66	39%	Negligible	0.01	0.0%	Negligible	Negligible
Site 4	15.16	15.16	38%	Negligible	0.01	0.0%	Negligible	Negligible
Site 5	15.15	15.16	38%	Negligible	0.01	0.0%	Negligible	Negligible
Site 6	15.76	15.78	39%	Negligible	0.02	0.1%	Negligible	Negligible
Site 7	14.04	14.19	35%	Negligible	0.14	0.4%	Negligible	Negligible
Site 8	13.66	13.74	34%	Negligible	0.08	0.2%	Negligible	Negligible
Site 9	13.88	13.99	35%	Negligible	0.11	0.3%	Negligible	Negligible
Site 10	14.01	14.15	35%	Negligible	0.15	0.4%	Negligible	Negligible

Modelled Annual Mean NO₂ (µg/m³) 2026 Do Something 2

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQUAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 2						
BA1c	32.55	31.35	78%	Low	-1.20	-3.0%	Medium Beneficial	Minor Beneficial
BA1	49.26	47.49	119%	Very High	-1.77	-4.4%	Medium Beneficial	Substantial Beneficial
1	25.27	24.55	61%	Negligible	-0.72	-1.8%	Low Beneficial	Negligible
2	37.14	35.79	89%	Low	-1.35	-3.4%	Medium Beneficial	Minor Beneficial
3	23.22	22.62	57%	Negligible	-0.60	-1.5%	Low Beneficial	Negligible
4	26.29	25.57	64%	Negligible	-0.72	-1.8%	Low Beneficial	Negligible
5	24.44	23.77	59%	Negligible	-0.67	-1.7%	Low Beneficial	Negligible
6	26.75	25.77	64%	Negligible	-0.98	-2.5%	Medium Beneficial	Negligible
7	23.95	22.12	55%	Negligible	-1.83	-4.6%	Medium Beneficial	Negligible
8	47.00	44.4	111%	Very High	-2.60	-6.5%	High Beneficial	Substantial Beneficial
9	26.62	26.00	65%	Negligible	-0.62	-1.6%	Low Beneficial	Negligible
10	24.69	23.91	60%	Negligible	-0.78	-2.0%	Medium Beneficial	Negligible
11	22.47	21.95	55%	Negligible	-0.52	-1.3%	Low Beneficial	Negligible
12	18.91	18.76	47%	Negligible	-0.15	-0.4%	Negligible	Negligible
13	33.33	35.37	88%	Low	2.04	5.1%	Medium Adverse	Minor Adverse
14	30.00	35.39	88%	Low	5.39	13.5%	Very High Adverse	Moderate Adverse
15	23.15	23.38	58%	Negligible	0.23	0.6%	Negligible	Negligible
16	21.87	25.11	63%	Negligible	3.24	8.1%	High Adverse	Negligible
17	19.08	23.78	59%	Negligible	4.70	11.8%	Very High Adverse	Negligible
18	21.06	20.06	50%	Negligible	-1.00	-2.5%	Medium Beneficial	Negligible
19	24.99	23.01	58%	Negligible	-1.98	-5.0%	Medium Beneficial	Negligible
20	32.78	30.47	76%	Low	-2.31	-5.8%	Medium Beneficial	Minor Beneficial
21	27.51	27.25	68%	Negligible	-0.26	-0.7%	Negligible	Negligible
22	38.98	35.62	89%	Low	-3.36	-8.4%	High beneficial	Moderate Beneficial
23	24.54	24.65	62%	Negligible	0.11	0.3%	Negligible	Negligible
24	26.61	23.08	58%	Negligible	-3.53	-8.8%	High Beneficial	Negligible
25	28.02	23.36	58%	Negligible	-4.66	-11.7%	Very High Beneficial	Negligible
26	33.65	28.23	71%	Negligible	-5.42	-13.6%	Very High Beneficial	Negligible
27	35.75	33.54	84%	Low	-2.21	-5.5%	Medium Beneficial	Minor Beneficial
28	29.66	24.81	62%	Negligible	-4.85	-12.1%	Very High Beneficial	Negligible
29	37.22	35.84	90%	Medium	-1.38	-3.5%	Medium Beneficial	Moderate Beneficial
30	37.87	36.66	92%	Medium	-1.21	-3.0%	Medium Beneficial	Moderate Beneficial

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 2						
31	44.09	42.4	106%	High	-1.69	-4.2%	Medium Beneficial	Moderate Beneficial
32	37.05	36.09	90%	Medium	-0.96	-2.4%	Medium Beneficial	Moderate Beneficial
33	42.93	41.03	103%	High	-1.90	-4.8%	Medium Beneficial	Moderate Beneficial
34	25.43	25.08	63%	Negligible	-0.35	-0.9%	Negligible	Negligible
35	34.99	33.69	84%	Low	-1.30	-3.3%	Medium Beneficial	Minor Beneficial
36	25.01	24.75	62%	Negligible	-0.26	-0.7%	Negligible	Negligible
37	25.51	25.05	63%	Negligible	-0.46	-1.2%	Low Beneficial	Negligible
38	24.48	24.50	61%	Negligible	0.02	0.1%	Negligible	Negligible
39	24.20	24.07	60%	Negligible	-0.13	-0.3%	Negligible	Negligible
40	21.68	20.83	52%	Negligible	-0.85	-2.1%	Medium Beneficial	Negligible
41	21.45	21.47	54%	Negligible	0.02	0.1%	Negligible	Negligible
42	23.20	22.23	56%	Negligible	-0.97	-2.4%	Medium Beneficial	Negligible
43	29.99	28.46	71%	Negligible	-1.53	-3.8%	Medium Beneficial	Negligible
44	30.3	28.9	72%	Negligible	-1.40	-3.5%	Medium Beneficial	Negligible
45	26.9	26.1	65%	Negligible	-0.80	-2.0%	Medium Beneficial	Negligible
46	30.62	29.23	73%	Negligible	-1.39	-3.5%	Medium Beneficial	Negligible
47	27.24	26.67	67%	Negligible	-0.57	-1.4%	Low Beneficial	Negligible
48	29.83	28.51	71%	Negligible	-1.32	-3.3%	Medium Beneficial	Negligible
49	26.11	26.01	65%	Negligible	-0.10	-0.3%	Negligible	Negligible
50	28.47	28.22	71%	Negligible	-0.25	-0.6%	Negligible	Negligible
51	31.51	31.02	78%	Low	-0.49	-1.2%	Low Beneficial	Negligible
52	35.93	34.46	86%	Low	-1.47	-3.7%	Medium Beneficial	Minor Beneficial
53	28	27.52	69%	Negligible	-0.48	-1.2%	Low Beneficial	Negligible
54	29.51	28.61	72%	Negligible	-0.90	-2.3%	Medium Beneficial	Negligible
55	32.11	30.95	77%	Low	-1.16	-2.9%	Medium Beneficial	Minor Beneficial
56	32.78	31.64	79%	Low	-1.14	-2.9%	Medium Beneficial	Minor Beneficial
57	33.77	32.56	81%	Low	-1.21	-3.0%	Medium Beneficial	Minor Beneficial
58	26.31	25.38	63%	Negligible	-0.93	-2.3%	Medium Beneficial	Negligible
59	25.09	24.46	61%	Negligible	-0.63	-1.6%	Low Beneficial	Negligible
60	33.54	33.55	84%	Low	0.01	0.0%	Negligible	Negligible
61	37.81	36.83	92%	Medium	-0.98	-2.5%	Medium Beneficial	Moderate Beneficial
62	38.99	37.97	95%	Medium	-1.02	-2.6%	Medium Beneficial	Moderate Beneficial
63	44.19	44.38	111%	Very High	0.19	0.5%	Negligible	Negligible
64	41.44	41.65	104%	High	0.21	0.5%	Negligible	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 2						
65	36.86	37.07	93%	Medium	0.21	0.5%	Negligible	Negligible
66	25.28	25.47	64%	Negligible	0.19	0.5%	Negligible	Negligible
67	23.49	23.84	60%	Negligible	0.35	0.9%	Negligible	Negligible
68	18.9	19.08	48%	Negligible	0.18	0.5%	Negligible	Negligible
69	25.71	25.28	63%	Negligible	-0.43	-1.1%	Low Beneficial	Negligible
70	27.01	26.34	66%	Negligible	-0.67	-1.7%	Low Beneficial	Negligible
71	29.36	28.59	71%	Negligible	-0.77	-1.9%	Low Beneficial	Negligible
72	29.29	30.28	76%	Low	0.99	2.5%	Medium Adverse	Minor Adverse
73	32.74	33.64	84%	Low	0.90	2.3%	Medium Adverse	Minor Adverse
74	35.56	36.78	92%	Medium	1.22	3.1%	Medium Adverse	Moderate Adverse
75	31.18	30.9	77%	Low	-0.28	-0.7%	Negligible	Negligible
76	22	22.3	56%	Negligible	0.30	0.8%	Negligible	Negligible
77	32.32	33.54	84%	Low	1.22	3.1%	Medium Adverse	Minor Adverse
78	34.25	35.33	88%	Low	1.08	2.7%	Medium Adverse	Minor Adverse
79	35.59	36.6	92%	Medium	1.01	2.5%	Medium Adverse	Moderate Adverse
80	25.88	26.14	65%	Negligible	0.26	0.7%	Negligible	Negligible
81	30.65	31.14	78%	Low	0.49	1.2%	Low Adverse	Negligible
82	45.38	46.37	116%	Very High	0.99	2.5%	Medium Adverse	Substantial Adverse
83	44.22	45.02	113%	Very High	0.80	2.0%	Medium Adverse	Substantial Adverse
84	31.12	31.2	78%	Low	0.08	0.2%	Negligible	Negligible
85	25.12	24.81	62%	Negligible	-0.31	-0.8%	Negligible	Negligible
86	34.25	35.5	89%	Low	1.25	3.1%	Medium Adverse	Minor Adverse
87	32.48	32.53	81%	Low	0.05	0.1%	Negligible	Negligible
88	33.12	30.74	77%	Low	-2.38	-6.0%	High Beneficial	Moderate Beneficial
89	29.78	27.12	68%	Negligible	-2.66	-6.7%	High Beneficial	Negligible
90	34.33	34.51	86%	Low	0.18	0.5%	Negligible	Negligible
91	27.99	28.2	71%	Negligible	0.21	0.5%	Negligible	Negligible
92	29.16	29.32	73%	Negligible	0.16	0.4%	Negligible	Negligible
93	24.86	25.02	63%	Negligible	0.16	0.4%	Negligible	Negligible
94	27.39	28.13	70%	Negligible	0.74	1.9%	Low Adverse	Negligible
95	32.18	32.36	81%	Low	0.18	0.5%	Negligible	Negligible
96	35.24	30.68	77%	Low	-4.56	-11.4%	Very High Beneficial	Moderate Beneficial
97	24.59	22.29	56%	Negligible	-2.30	-5.8%	High Beneficial	Negligible
98	20.22	20.17	50%	Negligible	-0.05	-0.1%	Negligible	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 2						
99	18.7	18.66	47%	Negligible	-0.04	-0.1%	Negligible	Negligible
100	27.47	27.76	69%	Negligible	0.29	0.7%	Negligible	Negligible
101	22.73	22.87	57%	Negligible	0.14	0.4%	Negligible	Negligible
102	25.24	25.44	64%	Negligible	0.20	0.5%	Negligible	Negligible
103	27.46	28.58	71%	Negligible	1.12	2.8%	Medium Adverse	Negligible
104	34	35.72	89%	Low	1.72	4.3%	Medium Adverse	Minor Adverse
105	27.67	30.72	77%	Low	3.05	7.6%	High Adverse	Moderate Adverse
106	24.36	24.92	62%	Negligible	0.56	1.4%	Low Adverse	Negligible
107	24.98	26.23	66%	Negligible	1.25	3.1%	Medium Adverse	Negligible
108	24.21	25.38	63%	Negligible	1.17	2.9%	Medium Adverse	Negligible
109	21.84	23.06	58%	Negligible	1.22	3.1%	Medium Adverse	Negligible
110	18.73	19.54	49%	Negligible	0.81	2.0%	Medium Adverse	Negligible
Site 1	24.1	23.43	59%	Negligible	-0.67	-1.7%	Low Beneficial	Negligible
Site 2	29.84	28.88	72%	Negligible	-0.96	-2.4%	Medium Beneficial	Negligible
Site 3	31.57	30.52	76%	Low	-1.05	-2.6%	Medium Beneficial	Minor Beneficial
Site 4	25.82	25.08	63%	Negligible	-0.74	-1.9%	Low Beneficial	Negligible
Site 5	28.18	27.15	68%	Negligible	-1.03	-2.6%	Medium Beneficial	Negligible
Site 6	31.77	29.97	75%	Low	-1.80	-4.5%	Medium Beneficial	Minor Beneficial
Site 7	18.94	18.53	46%	Negligible	-0.41	-1.0%	Low Beneficial	Negligible
Site 8	16.68	16.42	41%	Negligible	-0.26	-0.7%	Negligible	Negligible
Site 9	19.30	18.63	47%	Negligible	-0.67	-1.7%	Low Beneficial	Negligible
Site 10	21.91	20.83	52%	Negligible	-1.08	-2.7%	Medium Beneficial	Negligible

Modelled Annual Mean PM₁₀ (µg/m³) 2026 Do Something 2

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 2						
BA1c	16.10	15.97	40%	Negligible	0.02	0.1%	Negligible	Negligible
BA1	18.46	18.29	46%	Negligible	0.01	0.0%	Negligible	Negligible
1	14.70	14.60	36%	Negligible	0.01	0.0%	Negligible	Negligible
2	16.70	16.46	41%	Negligible	0.01	0.0%	Negligible	Negligible
3	14.74	14.64	37%	Negligible	0.01	0.0%	Negligible	Negligible
4	15.39	15.25	38%	Negligible	0.01	0.0%	Negligible	Negligible
5	14.59	14.49	36%	Negligible	0.01	0.0%	Negligible	Negligible
6	14.93	14.76	37%	Negligible	0.01	0.0%	Negligible	Negligible
7	14.91	14.55	36%	Negligible	0.02	0.1%	Negligible	Negligible
8	16.81	16.72	42%	Negligible	0.16	0.4%	Negligible	Negligible
9	15.10	15.06	38%	Negligible	0.03	0.1%	Negligible	Negligible
10	14.84	14.80	37%	Negligible	0.21	0.5%	Negligible	Negligible
11	14.59	14.58	36%	Negligible	0.29	0.7%	Negligible	Negligible
12	14.06	14.07	35%	Negligible	0.17	0.4%	Negligible	Negligible
13	15.48	16.04	40%	Negligible	0.28	0.7%	Negligible	Negligible
14	15.26	16.12	40%	Negligible	0.14	0.4%	Negligible	Negligible
15	14.40	14.53	36%	Negligible	0.15	0.4%	Negligible	Negligible
16	14.49	15.13	38%	Negligible	0.13	0.3%	Negligible	Negligible
17	14.19	15.09	38%	Negligible	0.05	0.1%	Negligible	Negligible
18	14.53	14.34	36%	Negligible	0.05	0.1%	Negligible	Negligible
19	14.93	14.65	37%	Negligible	0.06	0.2%	Negligible	Negligible
20	15.93	15.62	39%	Negligible	0.11	0.3%	Negligible	Negligible
21	15.42	15.41	39%	Negligible	0.11	0.3%	Negligible	Negligible
22	16.78	16.37	41%	Negligible	0.17	0.4%	Negligible	Negligible
23	15.19	15.23	38%	Negligible	0.10	0.3%	Negligible	Negligible
24	15.48	14.86	37%	Negligible	0.12	0.3%	Negligible	Negligible
25	15.86	15.00	37%	Negligible	0.14	0.4%	Negligible	Negligible
26	16.40	15.55	39%	Negligible	0.14	0.4%	Negligible	Negligible
27	16.67	16.37	41%	Negligible	0.06	0.2%	Negligible	Negligible
28	16.16	15.26	38%	Negligible	0.15	0.4%	Negligible	Negligible
29	17.67	17.42	44%	Negligible	0.06	0.2%	Negligible	Negligible
30	17.52	17.33	43%	Negligible	0.05	0.1%	Negligible	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 2						
31	17.70	17.52	44%	Negligible	0.05	0.1%	Negligible	Negligible
32	16.62	16.53	41%	Negligible	0.05	0.1%	Negligible	Negligible
33	17.46	17.29	43%	Negligible	0.03	0.1%	Negligible	Negligible
34	15.08	15.06	38%	Negligible	0.03	0.1%	Negligible	Negligible
35	16.91	16.73	42%	Negligible	0.01	0.0%	Negligible	Negligible
36	15.12	15.10	38%	Negligible	0.04	0.1%	Negligible	Negligible
37	14.96	14.91	37%	Negligible	0.04	0.1%	Negligible	Negligible
38	14.89	14.90	37%	Negligible	0.04	0.1%	Negligible	Negligible
39	14.78	14.77	37%	Negligible	0.04	0.1%	Negligible	Negligible
40	14.57	14.44	36%	Negligible	0.03	0.1%	Negligible	Negligible
41	14.61	14.62	37%	Negligible	0.04	0.1%	Negligible	Negligible
42	14.67	14.55	36%	Negligible	0.02	0.1%	Negligible	Negligible
43	15.53	15.38	38%	Negligible	0.03	0.1%	Negligible	Negligible
44	15.62	15.46	39%	Negligible	0.02	0.1%	Negligible	Negligible
45	15.38	15.27	38%	Negligible	0.01	0.0%	Negligible	Negligible
46	15.71	15.56	39%	Negligible	0.03	0.1%	Negligible	Negligible
47	15.23	15.18	38%	Negligible	0.02	0.1%	Negligible	Negligible
48	15.71	15.56	39%	Negligible	0.03	0.1%	Negligible	Negligible
49	15.47	15.48	39%	Negligible	0.02	0.1%	Negligible	Negligible
50	15.88	15.86	40%	Negligible	0.02	0.1%	Negligible	Negligible
51	16.18	16.13	40%	Negligible	0.02	0.1%	Negligible	Negligible
52	16.76	16.59	41%	Negligible	0.01	0.0%	Negligible	Negligible
53	15.55	15.50	39%	Negligible	0.01	0.0%	Negligible	Negligible
54	15.95	15.83	40%	Negligible	0.01	0.0%	Negligible	Negligible
55	16.20	16.07	40%	Negligible	0.01	0.0%	Negligible	Negligible
56	16.61	16.45	41%	Negligible	0.01	0.0%	Negligible	Negligible
57	16.87	16.69	42%	Negligible	0.01	0.0%	Negligible	Negligible
58	15.35	15.22	38%	Negligible	0.03	0.1%	Negligible	Negligible
59	15.21	15.11	38%	Negligible	0.01	0.0%	Negligible	Negligible
60	15.85	15.87	40%	Negligible	0.02	0.1%	Negligible	Negligible
61	16.62	16.54	41%	Negligible	0.01	0.0%	Negligible	Negligible
62	17.16	17.03	43%	Negligible	0.01	0.0%	Negligible	Negligible
63	17.83	17.88	45%	Negligible	0.02	0.1%	Negligible	Negligible
64	17.94	18.00	45%	Negligible	0.03	0.1%	Negligible	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 2						
65	17.32	17.37	43%	Negligible	0.02	0.1%	Negligible	Negligible
66	15.01	15.05	38%	Negligible	0.02	0.1%	Negligible	Negligible
67	14.88	14.94	37%	Negligible	0.02	0.1%	Negligible	Negligible
68	14.09	14.12	35%	Negligible	0.01	0.0%	Negligible	Negligible
69	14.99	14.96	37%	Negligible	0.02	0.1%	Negligible	Negligible
70	15.48	15.39	38%	Negligible	0.03	0.1%	Negligible	Negligible
71	15.45	15.40	38%	Negligible	0.03	0.1%	Negligible	Negligible
72	15.46	15.63	39%	Negligible	0.03	0.1%	Negligible	Negligible
73	15.69	15.82	40%	Negligible	0.03	0.1%	Negligible	Negligible
74	16.18	16.39	41%	Negligible	0.04	0.1%	Negligible	Negligible
75	15.57	15.57	39%	Negligible	0.03	0.1%	Negligible	Negligible
76	14.62	14.67	37%	Negligible	0.02	0.1%	Negligible	Negligible
77	16.45	16.70	42%	Negligible	0.05	0.1%	Negligible	Negligible
78	16.30	16.50	41%	Negligible	0.04	0.1%	Negligible	Negligible
79	16.38	16.57	41%	Negligible	0.04	0.1%	Negligible	Negligible
80	15.15	15.20	38%	Negligible	0.03	0.1%	Negligible	Negligible
81	15.71	15.80	40%	Negligible	0.03	0.1%	Negligible	Negligible
82	17.85	18.06	45%	Negligible	0.05	0.1%	Negligible	Negligible
83	17.75	17.92	45%	Negligible	0.05	0.1%	Negligible	Negligible
84	15.97	15.99	40%	Negligible	0.02	0.1%	Negligible	Negligible
85	15.29	15.23	38%	Negligible	0.01	0.0%	Negligible	Negligible
86	16.76	17.03	43%	Negligible	0.05	0.1%	Negligible	Negligible
87	15.84	15.85	40%	Negligible	0.05	0.1%	Negligible	Negligible
88	16.00	15.61	39%	Negligible	0.05	0.1%	Negligible	Negligible
89	15.95	15.44	39%	Negligible	0.04	0.1%	Negligible	Negligible
90	16.40	16.43	41%	Negligible	0.11	0.3%	Negligible	Negligible
91	15.49	15.53	39%	Negligible	0.06	0.2%	Negligible	Negligible
92	15.74	15.77	39%	Negligible	0.07	0.2%	Negligible	Negligible
93	15.21	15.24	38%	Negligible	0.05	0.1%	Negligible	Negligible
94	15.61	15.77	39%	Negligible	0.04	0.1%	Negligible	Negligible
95	16.32	16.36	41%	Negligible	0.12	0.3%	Negligible	Negligible
96	17.42	16.42	41%	Negligible	0.06	0.2%	Negligible	Negligible
97	15.24	14.78	37%	Negligible	0.03	0.1%	Negligible	Negligible
98	14.24	14.23	36%	Negligible	0.02	0.1%	Negligible	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Sensitivity of Receptor	Incremental Change	Percentage Change	Magnitude of Impact	Significance of Effect
	2026 Do Minimum	2026 Do Something 2						
99	14.09	14.08	35%	Negligible	0.01	0.0%	Negligible	Negligible
100	15.31	15.33	38%	Negligible	0.05	0.1%	Negligible	Negligible
101	14.67	14.68	37%	Negligible	0.03	0.1%	Negligible	Negligible
102	15.31	15.33	38%	Negligible	0.05	0.1%	Negligible	Negligible
103	15.19	15.34	38%	Negligible	0.05	0.1%	Negligible	Negligible
104	16.17	16.42	41%	Negligible	0.08	0.2%	Negligible	Negligible
105	15.44	15.96	40%	Negligible	0.08	0.2%	Negligible	Negligible
106	15.15	15.23	38%	Negligible	0.05	0.1%	Negligible	Negligible
107	15.38	15.60	39%	Negligible	0.01	0.0%	Negligible	Negligible
108	15.24	15.44	39%	Negligible	0.01	0.0%	Negligible	Negligible
109	14.76	14.96	37%	Negligible	0.01	0.0%	Negligible	Negligible
110	14.17	14.30	36%	Negligible	0.01	0.0%	Negligible	Negligible
Site 1	14.68	14.58	36%	Negligible	0.01	0.0%	Negligible	Negligible
Site 2	15.34	15.19	38%	Negligible	0.01	0.0%	Negligible	Negligible
Site 3	15.65	15.48	39%	Negligible	0.01	0.0%	Negligible	Negligible
Site 4	15.16	15.02	38%	Negligible	0.01	0.0%	Negligible	Negligible
Site 5	15.15	14.97	37%	Negligible	0.01	0.0%	Negligible	Negligible
Site 6	15.76	15.41	39%	Negligible	0.02	0.1%	Negligible	Negligible
Site 7	14.04	14.02	35%	Negligible	0.14	0.4%	Negligible	Negligible
Site 8	13.66	13.65	34%	Negligible	0.08	0.2%	Negligible	Negligible
Site 9	13.88	13.85	35%	Negligible	0.11	0.3%	Negligible	Negligible
Site 10	14.01	13.98	35%	Negligible	0.15	0.4%	Negligible	Negligible