

Modelled Annual Mean NO₂ (µg/m³) 2026 Do Something 1

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 1				
1	25.84	25.96	64.9%	0.12	0.3%	Negligible
2	38.12	38.34	95.9%	0.22	0.6%	Negligible
3	23.71	23.82	59.6%	0.11	0.3%	Negligible
4	26.9	27.03	67.6%	0.13	0.3%	Negligible
5	24.98	25.09	62.7%	0.11	0.3%	Negligible
6	27.38	27.53	68.8%	0.15	0.4%	Negligible
7	24.47	24.66	61.7%	0.19	0.5%	Negligible
8	48.26	49.05	122.6%	0.79	2.0%	Substantial
9	27.24	27.43	68.6%	0.19	0.5%	Negligible
10	25.24	26.35	65.9%	1.11	2.8%	Negligible
11	22.92	24.47	61.2%	1.55	3.9%	Negligible
12	19.22	20.17	50.4%	0.95	2.4%	Negligible
13	34.19	35.86	89.7%	1.67	4.2%	Slight
14	30.75	31.67	79.2%	0.92	2.3%	Slight
15	23.63	24.56	61.4%	0.93	2.3%	Negligible
16	22.3	23.03	57.6%	0.73	1.8%	Negligible
17	19.39	19.7	49.3%	0.31	0.8%	Negligible
18	21.45	21.77	54.4%	0.32	0.8%	Negligible
19	25.55	26.02	65.1%	0.47	1.2%	Negligible
20	33.63	34.52	86.3%	0.89	2.2%	Slight
21	28.17	28.94	72.4%	0.77	1.9%	Negligible
22	40.02	41.3	103.3%	1.28	3.2%	Moderate
23	25.08	25.71	64.3%	0.63	1.6%	Negligible
24	27.23	27.95	69.9%	0.72	1.8%	Negligible
25	28.69	29.51	73.8%	0.82	2.1%	Negligible
26	34.52	35.4	88.5%	0.88	2.2%	Slight
27	36.69	37.2	93.0%	0.51	1.3%	Negligible
28	30.4	31.24	78.1%	0.84	2.1%	Slight
29	38.21	38.68	96.7%	0.47	1.2%	Negligible
30	38.88	39.33	98.3%	0.45	1.1%	Negligible
31	45.28	45.83	114.6%	0.55	1.4%	Moderate
32	38.03	38.52	96.3%	0.49	1.2%	Negligible
33	44.09	44.49	111.2%	0.40	1.0%	Moderate

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 1				
34	26.01	26.24	65.6%	0.23	0.6%	Negligible
35	35.91	36.15	90.4%	0.24	0.6%	Negligible
36	25.57	25.86	64.7%	0.29	0.7%	Negligible
37	26.09	26.46	66.2%	0.37	0.9%	Negligible
38	25.02	25.37	63.4%	0.35	0.9%	Negligible
39	24.72	25.06	62.7%	0.34	0.9%	Negligible
40	22.1	22.34	55.9%	0.24	0.6%	Negligible
41	21.86	22.12	55.3%	0.26	0.7%	Negligible
42	23.68	23.88	59.7%	0.20	0.5%	Negligible
43	30.73	31	77.5%	0.27	0.7%	Negligible
44	31.06	31.31	78.3%	0.25	0.6%	Negligible
45	27.53	27.69	69.2%	0.16	0.4%	Negligible
46	31.39	31.66	79.2%	0.27	0.7%	Negligible
47	27.89	28.1	70.3%	0.21	0.5%	Negligible
48	30.57	30.85	77.1%	0.28	0.7%	Negligible
49	26.71	26.9	67.3%	0.19	0.5%	Negligible
50	29.16	29.36	73.4%	0.20	0.5%	Negligible
51	32.31	32.53	81.3%	0.22	0.5%	Negligible
52	36.88	37.1	92.8%	0.22	0.5%	Negligible
53	28.68	28.85	72.1%	0.17	0.4%	Negligible
54	30.25	30.4	76.0%	0.15	0.4%	Negligible
55	32.94	33.11	82.8%	0.17	0.4%	Negligible
56	33.63	33.8	84.5%	0.17	0.4%	Negligible
57	34.65	34.83	87.1%	0.18	0.4%	Negligible
58	26.92	27.14	67.9%	0.22	0.5%	Negligible
59	25.65	25.79	64.5%	0.14	0.4%	Negligible
60	34.41	34.66	86.7%	0.25	0.6%	Negligible
61	38.82	39.07	97.7%	0.25	0.6%	Slight
62	40.03	40.28	100.7%	0.25	0.6%	Slight
63	45.38	45.76	114.4%	0.38	0.9%	Moderate
64	42.55	42.91	107.3%	0.36	0.9%	Moderate
65	37.84	38.13	95.3%	0.29	0.7%	Slight
66	25.85	26.01	65.0%	0.16	0.4%	Negligible
67	23.98	24.15	60.4%	0.17	0.4%	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 1				
68	19.2	19.3	48.3%	0.10	0.3%	Negligible
69	26.3	26.52	66.3%	0.22	0.5%	Negligible
70	27.64	27.89	69.7%	0.25	0.6%	Negligible
71	30.09	30.36	75.9%	0.27	0.7%	Negligible
72	30.01	30.21	75.5%	0.20	0.5%	Negligible
73	33.58	33.85	84.6%	0.27	0.7%	Negligible
74	36.5	36.76	91.9%	0.26	0.6%	Negligible
75	31.97	32.26	80.7%	0.29	0.7%	Negligible
76	22.44	22.59	56.5%	0.15	0.4%	Negligible
77	33.15	33.46	83.7%	0.31	0.8%	Negligible
78	35.14	35.4	88.5%	0.26	0.6%	Negligible
79	36.53	36.79	92.0%	0.26	0.6%	Negligible
80	26.48	26.67	66.7%	0.19	0.5%	Negligible
81	31.42	31.66	79.2%	0.24	0.6%	Negligible
82	46.6	46.94	117.4%	0.34	0.8%	Moderate
83	45.41	45.74	114.4%	0.33	0.8%	Moderate
84	31.91	32.11	80.3%	0.20	0.5%	Negligible
85	25.68	25.81	64.5%	0.13	0.3%	Negligible
86	35.14	35.47	88.7%	0.33	0.8%	Negligible
87	33.32	33.67	84.2%	0.35	0.9%	Negligible
88	33.97	34.45	86.1%	0.48	1.2%	Negligible
89	30.52	30.91	77.3%	0.39	1.0%	Negligible
90	35.23	36.07	90.2%	0.84	2.1%	Slight
91	28.66	29.07	72.7%	0.41	1.0%	Negligible
92	29.87	30.35	75.9%	0.48	1.2%	Negligible
93	25.41	25.77	64.4%	0.36	0.9%	Negligible
94	28.04	28.31	70.8%	0.27	0.7%	Negligible
95	33.01	33.8	84.5%	0.79	2.0%	Slight
96	36.17	36.64	91.6%	0.47	1.2%	Negligible
97	25.13	25.38	63.5%	0.25	0.6%	Negligible
98	20.58	20.72	51.8%	0.14	0.4%	Negligible
99	19	19.12	47.8%	0.12	0.3%	Negligible
100	28.13	28.5	71.3%	0.37	0.9%	Negligible
101	23.2	23.45	58.6%	0.25	0.6%	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 1				
102	25.81	26.14	65.4%	0.33	0.8%	Negligible
103	28.12	28.55	71.4%	0.43	1.1%	Negligible
104	34.89	35.52	88.8%	0.63	1.6%	Slight
105	28.33	28.87	72.2%	0.54	1.4%	Negligible
106	24.89	25.23	63.1%	0.34	0.9%	Negligible
107	25.53	25.67	64.2%	0.14	0.4%	Negligible
108	24.74	24.86	62.2%	0.12	0.3%	Negligible
109	22.27	22.39	56.0%	0.12	0.3%	Negligible
110	19.02	19.1	47.8%	0.08	0.2%	Negligible
Site 1	24.62	24.73	61.8%	0.11	0.3%	Negligible
Site 2	30.58	30.73	76.8%	0.15	0.4%	Negligible
Site 3	32.37	32.54	81.4%	0.17	0.4%	Negligible
Site 4	26.41	26.55	66.4%	0.14	0.4%	Negligible
Site 5	28.86	29.02	72.6%	0.16	0.4%	Negligible
Site 6	32.58	32.81	82.0%	0.23	0.6%	Negligible
Site 7	19.24	20.02	50.1%	0.78	2.0%	Negligible
Site 8	16.88	17.34	43.4%	0.46	1.2%	Negligible
Site 9	19.62	20.27	50.7%	0.65	1.6%	Negligible
Site 10	22.34	23.28	58.2%	0.94	2.4%	Negligible

Modelled Annual Mean PM₁₀ (µg/m³) 2026 Do Something 1

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 1				
1	14.79	14.80	37.0%	0.01	0.0%	Negligible
2	16.90	16.91	42.3%	0.01	0.0%	Negligible
3	14.83	14.84	37.1%	0.01	0.0%	Negligible
4	15.52	15.52	38.8%	0.01	0.0%	Negligible
5	14.68	14.68	36.7%	0.01	0.0%	Negligible
6	15.04	15.05	37.6%	0.01	0.0%	Negligible
7	15.01	15.03	37.6%	0.02	0.1%	Negligible
8	17.02	17.18	43.0%	0.16	0.4%	Negligible
9	15.21	15.24	38.1%	0.03	0.1%	Negligible
10	14.94	15.17	37.9%	0.23	0.6%	Negligible
11	14.68	14.98	37.5%	0.31	0.8%	Negligible
12	14.11	14.29	35.7%	0.18	0.5%	Negligible
13	15.61	15.91	39.8%	0.30	0.8%	Negligible
14	15.38	15.52	38.8%	0.15	0.4%	Negligible
15	14.47	14.63	36.6%	0.16	0.4%	Negligible
16	14.57	14.70	36.8%	0.13	0.3%	Negligible
17	14.25	14.30	35.7%	0.05	0.1%	Negligible
18	14.61	14.66	36.6%	0.05	0.1%	Negligible
19	15.04	15.10	37.8%	0.07	0.2%	Negligible
20	16.09	16.21	40.5%	0.12	0.3%	Negligible
21	15.55	15.67	39.2%	0.11	0.3%	Negligible
22	16.99	17.17	42.9%	0.18	0.5%	Negligible
23	15.31	15.41	38.5%	0.10	0.3%	Negligible
24	15.61	15.73	39.3%	0.13	0.3%	Negligible
25	16.01	16.17	40.4%	0.15	0.4%	Negligible
26	16.58	16.73	41.8%	0.15	0.4%	Negligible
27	16.87	16.93	42.3%	0.07	0.2%	Negligible
28	16.33	16.49	41.2%	0.16	0.4%	Negligible
29	17.92	17.98	44.9%	0.06	0.2%	Negligible
30	17.76	17.82	44.5%	0.05	0.1%	Negligible
31	17.96	18.01	45.0%	0.06	0.1%	Negligible
32	16.82	16.87	42.2%	0.05	0.1%	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 1				
33	17.70	17.73	44.3%	0.03	0.1%	Negligible
34	15.19	15.22	38.0%	0.03	0.1%	Negligible
35	17.12	17.13	42.8%	0.01	0.0%	Negligible
36	15.23	15.27	38.2%	0.04	0.1%	Negligible
37	15.07	15.12	37.8%	0.05	0.1%	Negligible
38	14.99	15.04	37.6%	0.05	0.1%	Negligible
39	14.87	14.92	37.3%	0.04	0.1%	Negligible
40	14.66	14.69	36.7%	0.03	0.1%	Negligible
41	14.69	14.73	36.8%	0.04	0.1%	Negligible
42	14.76	14.78	37.0%	0.02	0.1%	Negligible
43	15.66	15.69	39.2%	0.03	0.1%	Negligible
44	15.76	15.78	39.5%	0.02	0.1%	Negligible
45	15.51	15.52	38.8%	0.01	0.0%	Negligible
46	15.86	15.88	39.7%	0.03	0.1%	Negligible
47	15.35	15.37	38.4%	0.02	0.0%	Negligible
48	15.86	15.89	39.7%	0.03	0.1%	Negligible
49	15.61	15.63	39.1%	0.02	0.1%	Negligible
50	16.03	16.05	40.1%	0.02	0.0%	Negligible
51	16.35	16.37	40.9%	0.02	0.0%	Negligible
52	16.96	16.97	42.4%	0.01	0.0%	Negligible
53	15.69	15.70	39.3%	0.01	0.0%	Negligible
54	16.11	16.12	40.3%	0.01	0.0%	Negligible
55	16.37	16.38	41.0%	0.01	0.0%	Negligible
56	16.81	16.81	42.0%	0.01	0.0%	Negligible
57	17.07	17.08	42.7%	0.01	0.0%	Negligible
58	15.48	15.50	38.8%	0.03	0.1%	Negligible
59	15.32	15.34	38.3%	0.01	0.0%	Negligible
60	16.00	16.02	40.0%	0.02	0.0%	Negligible
61	16.81	16.82	42.1%	0.01	0.0%	Negligible
62	17.38	17.39	43.5%	0.01	0.0%	Negligible
63	18.09	18.12	45.3%	0.02	0.1%	Negligible
64	18.20	18.23	45.6%	0.03	0.1%	Negligible
65	17.55	17.57	43.9%	0.02	0.1%	Negligible
66	15.11	15.13	37.8%	0.02	0.0%	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 1				
67	14.98	15.00	37.5%	0.02	0.0%	Negligible
68	14.15	14.16	35.4%	0.01	0.0%	Negligible
69	15.09	15.12	37.8%	0.03	0.1%	Negligible
70	15.62	15.65	39.1%	0.03	0.1%	Negligible
71	15.59	15.62	39.0%	0.03	0.1%	Negligible
72	15.59	15.63	39.1%	0.04	0.1%	Negligible
73	15.83	15.86	39.7%	0.03	0.1%	Negligible
74	16.35	16.39	41.0%	0.04	0.1%	Negligible
75	15.71	15.74	39.4%	0.03	0.1%	Negligible
76	14.70	14.72	36.8%	0.02	0.0%	Negligible
77	16.63	16.68	41.7%	0.05	0.1%	Negligible
78	16.47	16.52	41.3%	0.05	0.1%	Negligible
79	16.56	16.61	41.5%	0.05	0.1%	Negligible
80	15.27	15.30	38.2%	0.03	0.1%	Negligible
81	15.86	15.89	39.7%	0.04	0.1%	Negligible
82	18.11	18.16	45.4%	0.06	0.1%	Negligible
83	18.00	18.05	45.1%	0.05	0.1%	Negligible
84	16.13	16.15	40.4%	0.03	0.1%	Negligible
85	15.41	15.42	38.6%	0.01	0.0%	Negligible
86	16.96	17.02	42.5%	0.06	0.1%	Negligible
87	15.99	16.05	40.1%	0.05	0.1%	Negligible
88	16.16	16.21	40.5%	0.05	0.1%	Negligible
89	16.11	16.16	40.4%	0.05	0.1%	Negligible
90	16.58	16.70	41.8%	0.12	0.3%	Negligible
91	15.63	15.69	39.2%	0.06	0.2%	Negligible
92	15.88	15.96	39.9%	0.07	0.2%	Negligible
93	15.32	15.38	38.4%	0.06	0.1%	Negligible
94	15.75	15.80	39.5%	0.05	0.1%	Negligible
95	16.50	16.62	41.5%	0.12	0.3%	Negligible
96	17.66	17.72	44.3%	0.06	0.1%	Negligible
97	15.36	15.40	38.5%	0.03	0.1%	Negligible
98	14.30	14.32	35.8%	0.02	0.0%	Negligible
99	14.14	14.16	35.4%	0.02	0.0%	Negligible
100	15.43	15.48	38.7%	0.05	0.1%	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 1				
101	14.76	14.79	37.0%	0.03	0.1%	Negligible
102	15.43	15.48	38.7%	0.05	0.1%	Negligible
103	15.31	15.37	38.4%	0.06	0.1%	Negligible
104	16.34	16.42	41.1%	0.08	0.2%	Negligible
105	15.57	15.65	39.1%	0.08	0.2%	Negligible
106	15.27	15.32	38.3%	0.05	0.1%	Negligible
107	15.51	15.52	38.8%	0.01	0.0%	Negligible
108	15.36	15.37	38.4%	0.01	0.0%	Negligible
109	14.86	14.87	37.2%	0.01	0.0%	Negligible
110	14.24	14.24	35.6%	0.01	0.0%	Negligible
Site 1	14.77	14.78	36.9%	0.01	0.0%	Negligible
Site 2	15.47	15.47	38.7%	0.01	0.0%	Negligible
Site 3	15.80	15.80	39.5%	0.01	0.0%	Negligible
Site 4	15.27	15.28	38.2%	0.01	0.0%	Negligible
Site 5	15.27	15.28	38.2%	0.01	0.0%	Negligible
Site 6	15.91	15.93	39.8%	0.02	0.0%	Negligible
Site 7	14.10	14.25	35%	0.15	0.4%	Negligible
Site 8	13.70	13.78	34%	0.08	0.2%	Negligible
Site 9	13.92	14.04	35%	0.12	0.3%	Negligible
Site 10	14.06	14.22	35%	0.16	0.4%	Negligible

Modelled Annual Mean NO₂ (µg/m³) 2026 Do Something 2

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 2				
1	25.84	25.17	63%	-0.67	-2%	Negligible
2	38.12	36.91	92%	-1.21	-3%	Negligible
3	23.71	23.14	58%	-0.57	-1%	Slight beneficial
4	26.9	26.23	66%	-0.67	-2%	Negligible
5	24.98	24.35	61%	-0.63	-2%	Negligible
6	27.38	26.44	66%	-0.94	-2%	Negligible
7	24.47	22.62	57%	-1.85	-5%	Negligible
8	48.26	45.87	115%	-2.39	-6%	Substantial beneficial
9	27.24	26.68	67%	-0.56	-1%	Negligible
10	25.24	24.49	61%	-0.75	-2%	Negligible
11	22.92	22.44	56%	-0.48	-1%	Negligible
12	19.22	19.09	48%	-0.13	0%	Negligible
13	34.19	36.47	91%	2.28	6%	Slight
14	30.75	36.5	91%	5.75	14%	Substantial
15	23.63	23.94	60%	0.31	1%	Negligible
16	22.3	25.75	64%	3.45	9%	Slight
17	19.39	24.36	61%	4.97	12%	Moderate
18	21.45	20.45	51%	-1.00	-3%	Negligible
19	25.55	23.56	59%	-1.99	-5%	Negligible
20	33.63	31.36	78%	-2.27	-6%	Moderate beneficial
21	28.17	28	70%	-0.17	0%	Negligible
22	40.02	36.73	92%	-3.29	-8%	Moderate beneficial
23	25.08	25.27	63%	0.19	0%	Negligible
24	27.23	23.62	59%	-3.61	-9%	Slight beneficial
25	28.69	23.92	60%	-4.77	-12%	Moderate beneficial
26	34.52	29.02	73%	-5.50	-14%	Moderate beneficial

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 2				
27	36.69	34.56	86%	-2.13	-5%	Moderate beneficial
28	30.4	25.44	64%	-4.96	-12%	Moderate beneficial
29	38.21	36.96	92%	-1.25	-3%	Slight beneficial
30	38.88	37.81	95%	-1.07	-3%	Slight beneficial
31	45.28	43.79	109%	-1.49	-4%	Moderate beneficial
32	38.03	37.22	93%	-0.81	-2%	Slight beneficial
33	44.09	42.36	106%	-1.73	-4%	Moderate beneficial
34	26.01	25.72	64%	-0.29	-1%	Negligible
35	35.91	34.72	87%	-1.19	-3%	Slight beneficial
36	25.57	25.37	63%	-0.20	0%	Negligible
37	26.09	25.69	64%	-0.40	-1%	Negligible
38	25.02	25.11	63%	0.09	0%	Negligible
39	24.72	24.66	62%	-0.06	0%	Negligible
40	22.1	21.27	53%	-0.83	-2%	Negligible
41	21.86	21.93	55%	0.07	0%	Negligible
42	23.68	22.74	57%	-0.94	-2%	Negligible
43	30.73	29.26	73%	-1.47	-4%	Negligible
44	31.06	29.72	74%	-1.34	-3%	Negligible
45	27.53	26.78	67%	-0.75	-2%	Negligible
46	31.39	30.06	75%	-1.33	-3%	Negligible
47	27.89	27.39	68%	-0.50	-1%	Negligible
48	30.57	29.31	73%	-1.26	-3%	Negligible
49	26.71	26.69	67%	-0.02	0%	Negligible
50	29.16	29.01	73%	-0.15	0%	Negligible
51	32.31	31.93	80%	-0.38	-1%	Negligible
52	36.88	35.52	89%	-1.36	-3%	Slight beneficial
53	28.68	28.28	71%	-0.40	-1%	Negligible
54	30.25	29.42	74%	-0.83	-2%	Negligible
55	32.94	31.86	80%	-1.08	-3%	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 2				
56	33.63	32.58	81%	-1.05	-3%	Slight beneficial
57	34.65	33.54	84%	-1.11	-3%	Slight beneficial
58	26.92	26.04	65%	-0.88	-2%	Negligible
59	25.65	25.07	63%	-0.58	-1%	Negligible
60	34.41	34.58	86%	0.17	0%	Negligible
61	38.82	38	95%	-0.82	-2%	Slight beneficial
62	40.03	39.18	98%	-0.85	-2%	Moderate beneficial
63	45.38	45.84	115%	0.46	1%	Negligible
64	42.55	43.01	108%	0.46	1%	Moderate
65	37.84	38.24	96%	0.40	1%	Negligible
66	25.85	26.13	65%	0.28	1%	Negligible
67	23.98	24.43	61%	0.45	1%	Negligible
68	19.2	19.43	49%	0.23	1%	Negligible
69	26.3	25.93	65%	-0.37	-1%	Negligible
70	27.64	27.04	68%	-0.60	-2%	Negligible
71	30.09	29.4	74%	-0.69	-2%	Negligible
72	30.01	31.16	78%	1.15	3%	Negligible
73	33.58	34.66	87%	1.08	3%	Slight
74	36.5	37.94	95%	1.44	4%	Slight
75	31.97	31.81	80%	-0.16	0%	Negligible
76	22.44	22.81	57%	0.37	1%	Negligible
77	33.15	34.56	86%	1.41	4%	Slight
78	35.14	36.43	91%	1.29	3%	Slight
79	36.53	37.75	94%	1.22	3%	Slight
80	26.48	26.84	67%	0.36	1%	Negligible
81	31.42	32.06	80%	0.64	2%	Negligible
82	46.6	47.91	120%	1.31	3%	Substantial
83	45.41	46.5	116%	1.09	3%	Substantial
84	31.91	32.13	80%	0.22	1%	Negligible
85	25.68	25.44	64%	-0.24	-1%	Negligible
86	35.14	36.61	92%	1.47	4%	Slight
87	33.32	33.51	84%	0.19	0%	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 2				
88	33.97	31.64	79%	-2.33	-6%	Moderate beneficial
89	30.52	27.86	70%	-2.66	-7%	Slight beneficial
90	35.23	35.58	89%	0.35	1%	Negligible
91	28.66	28.98	72%	0.32	1%	Negligible
92	29.87	30.16	75%	0.29	1%	Negligible
93	25.41	25.65	64%	0.24	1%	Negligible
94	28.04	28.92	72%	0.88	2%	Negligible
95	33.01	33.33	83%	0.32	1%	Slight
96	36.17	31.58	79%	-4.59	-11%	Moderate beneficial
97	25.13	22.79	57%	-2.34	-6%	Slight beneficial
98	20.58	20.57	51%	-0.01	0%	Negligible
99	19	18.98	47%	-0.02	0%	Negligible
100	28.13	28.53	71%	0.40	1%	Negligible
101	23.2	23.41	59%	0.21	1%	Negligible
102	25.81	26.1	65%	0.29	1%	Negligible
103	28.12	29.39	73%	1.27	3%	Negligible
104	34.89	36.84	92%	1.95	5%	Slight
105	28.33	31.62	79%	3.29	8%	Moderate
106	24.89	25.55	64%	0.66	2%	Negligible
107	25.53	26.93	67%	1.40	4%	Negligible
108	24.74	26.03	65%	1.29	3%	Negligible
109	22.27	23.61	59%	1.34	3%	Negligible
110	19.02	19.91	50%	0.89	2%	Negligible
Site 1	24.62	24	60%	-0.62	-2%	Negligible
Site 2	30.58	29.7	74%	-0.88	-2%	Negligible
Site 3	32.37	31.41	79%	-0.96	-2%	Negligible
Site 4	26.41	25.72	64%	-0.69	-2%	Negligible
Site 5	28.86	27.89	70%	-0.97	-2%	Negligible
Site 6	32.58	30.84	77%	-1.74	-4%	Negligible
Site 7	19.24	18.85	47%	-0.39	-1%	Negligible
Site 8	16.88	16.63	42%	-0.25	-1%	Negligible

Receptor ID	Annual Mean NO ₂ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Significance of Effect
	2026 Do Minimum	2026 Do Something 2				
Site 9	19.62	18.96	47%	-0.66	-2%	Negligible
Site 10	22.34	21.26	53%	-1.08	-3%	Negligible

Modelled Annual Mean PM₁₀ (µg/m³) 2026 Do Something 2

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Impact
	2026 Do Minimum	2026 Do Something 2				
1	14.79003	14.68	37%	-0.11	0%	Negligible
2	16.89744	16.64	42%	-0.25	-1%	Negligible
3	14.82784	14.72	37%	-0.10	0%	Negligible
4	15.51597	15.37	38%	-0.14	0%	Negligible
5	14.67584	14.57	36%	-0.11	0%	Negligible
6	15.03626	14.86	37%	-0.18	0%	Negligible
7	15.00619	14.63	37%	-0.38	-1%	Negligible
8	17.01659	16.92	42%	-0.10	0%	Negligible
9	15.20641	15.17	38%	-0.03	0%	Negligible
10	14.94132	14.90	37%	-0.04	0%	Negligible
11	14.6758	14.67	37%	-0.01	0%	Negligible
12	14.11094	14.13	35%	0.02	0%	Negligible
13	15.61195	16.20	40%	0.59	1%	Negligible
14	15.3781	16.29	41%	0.91	2%	Negligible
15	14.47052	14.61	37%	0.14	0%	Negligible
16	14.57188	15.25	38%	0.67	2%	Negligible
17	14.2472	15.20	38%	0.95	2%	Negligible
18	14.60783	14.41	36%	-0.20	0%	Negligible
19	15.03693	14.73	37%	-0.30	-1%	Negligible
20	16.08716	15.76	39%	-0.33	-1%	Negligible
21	15.5532	15.53	39%	-0.02	0%	Negligible
22	16.98752	16.55	41%	-0.44	-1%	Negligible
23	15.30693	15.35	38%	0.04	0%	Negligible
24	15.60967	14.96	37%	-0.65	-2%	Negligible
25	16.01437	15.10	38%	-0.91	-2%	Negligible
26	16.58395	15.69	39%	-0.90	-2%	Negligible
27	16.86864	16.55	41%	-0.32	-1%	Negligible
28	16.33077	15.38	38%	-0.95	-2%	Negligible
29	17.91704	17.65	44%	-0.26	-1%	Negligible
30	17.76457	17.56	44%	-0.20	-1%	Negligible
31	17.95662	17.76	44%	-0.19	0%	Negligible
32	16.81875	16.72	42%	-0.10	0%	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Impact
	2026 Do Minimum	2026 Do Something 2				
33	17.70003	17.52	44%	-0.18	0%	Negligible
34	15.18866	15.17	38%	-0.02	0%	Negligible
35	17.11811	16.93	42%	-0.19	0%	Negligible
36	15.23294	15.21	38%	-0.02	0%	Negligible
37	15.0682	15.01	38%	-0.06	0%	Negligible
38	14.98812	15.00	37%	0.01	0%	Negligible
39	14.87198	14.86	37%	-0.01	0%	Negligible
40	14.65632	14.51	36%	-0.14	0%	Negligible
41	14.69484	14.71	37%	0.01	0%	Negligible
42	14.76106	14.63	37%	-0.13	0%	Negligible
43	15.66079	15.50	39%	-0.16	0%	Negligible
44	15.76018	15.59	39%	-0.17	0%	Negligible
45	15.50961	15.39	38%	-0.12	0%	Negligible
46	15.85539	15.70	39%	-0.16	0%	Negligible
47	15.35105	15.30	38%	-0.05	0%	Negligible
48	15.8583	15.70	39%	-0.16	0%	Negligible
49	15.60576	15.61	39%	0.01	0%	Negligible
50	16.02921	16.01	40%	-0.01	0%	Negligible
51	16.34988	16.30	41%	-0.05	0%	Negligible
52	16.95864	16.79	42%	-0.17	0%	Negligible
53	15.68963	15.64	39%	-0.05	0%	Negligible
54	16.11225	15.98	40%	-0.13	0%	Negligible
55	16.37315	16.23	41%	-0.14	0%	Negligible
56	16.8061	16.63	42%	-0.17	0%	Negligible
57	17.07319	16.88	42%	-0.19	0%	Negligible
58	15.47779	15.34	38%	-0.14	0%	Negligible
59	15.32352	15.22	38%	-0.10	0%	Negligible
60	16.00102	16.02	40%	0.02	0%	Negligible
61	16.81452	16.72	42%	-0.09	0%	Negligible
62	17.37847	17.25	43%	-0.13	0%	Negligible
63	18.09362	18.15	45%	0.05	0%	Negligible
64	18.20442	18.26	46%	0.06	0%	Negligible
65	17.54993	17.61	44%	0.06	0%	Negligible
66	15.11179	15.15	38%	0.04	0%	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Impact
	2026 Do Minimum	2026 Do Something 2				
67	14.97871	15.05	38%	0.07	0%	Negligible
68	14.14631	14.18	35%	0.03	0%	Negligible
69	15.09114	15.06	38%	-0.03	0%	Negligible
70	15.61609	15.52	39%	-0.10	0%	Negligible
71	15.58556	15.52	39%	-0.06	0%	Negligible
72	15.59117	15.77	39%	0.18	0%	Negligible
73	15.82964	15.97	40%	0.14	0%	Negligible
74	16.35069	16.57	41%	0.22	1%	Negligible
75	15.70793	15.71	39%	0.00	0%	Negligible
76	14.70199	14.76	37%	0.06	0%	Negligible
77	16.6296	16.90	42%	0.27	1%	Negligible
78	16.4729	16.69	42%	0.22	1%	Negligible
79	16.56115	16.76	42%	0.20	0%	Negligible
80	15.26943	15.32	38%	0.05	0%	Negligible
81	15.85546	15.95	40%	0.10	0%	Negligible
82	18.10659	18.33	46%	0.22	1%	Negligible
83	18.00036	18.19	45%	0.19	0%	Negligible
84	16.12726	16.15	40%	0.03	0%	Negligible
85	15.40968	15.35	38%	-0.06	0%	Negligible
86	16.95853	17.24	43%	0.28	1%	Negligible
87	15.99387	16.00	40%	0.01	0%	Negligible
88	16.15742	15.75	39%	-0.41	-1%	Negligible
89	16.10981	15.56	39%	-0.54	-1%	Negligible
90	16.58334	16.61	42%	0.03	0%	Negligible
91	15.62757	15.67	39%	0.04	0%	Negligible
92	15.88446	15.92	40%	0.03	0%	Negligible
93	15.3225	15.36	38%	0.04	0%	Negligible
94	15.74994	15.91	40%	0.16	0%	Negligible
95	16.49737	16.54	41%	0.04	0%	Negligible
96	17.65949	16.60	42%	-1.06	-3%	Negligible
97	15.36307	14.87	37%	-0.49	-1%	Negligible
98	14.30405	14.29	36%	-0.01	0%	Negligible
99	14.14461	14.13	35%	-0.01	0%	Negligible
100	15.43219	15.45	39%	0.02	0%	Negligible

Receptor ID	Annual Mean PM ₁₀ (µg/m ³)		% of the AQAL (40µg/m ³)	Incremental Change	Percentage Change	Impact
	2026 Do Minimum	2026 Do Something 2				
101	14.75801	14.77	37%	0.01	0%	Negligible
102	15.42891	15.46	39%	0.03	0%	Negligible
103	15.30913	15.47	39%	0.16	0%	Negligible
104	16.33757	16.60	42%	0.26	1%	Negligible
105	15.57335	16.12	40%	0.54	1%	Negligible
106	15.26532	15.35	38%	0.09	0%	Negligible
107	15.50963	15.73	39%	0.22	1%	Negligible
108	15.36134	15.57	39%	0.21	1%	Negligible
109	14.85744	15.07	38%	0.21	1%	Negligible
110	14.23613	14.37	36%	0.14	0%	Negligible
Site 1	14.7716	14.66	37%	-0.11	0%	Negligible
Site 2	15.4666	15.31	38%	-0.16	0%	Negligible
Site 3	15.7954	15.61	39%	-0.18	0%	Negligible
Site 4	15.26957	15.13	38%	-0.14	0%	Negligible
Site 5	15.26779	15.08	38%	-0.19	0%	Negligible
Site 6	15.90759	15.54	39%	-0.37	-1%	Negligible
Site 7	14.0979	14.07	35%	-0.02	0%	Negligible
Site 8	13.69802	13.68	34%	-0.01	0%	Negligible
Site 9	13.92178	13.90	35%	-0.02	0%	Negligible
Site 10	14.05737	14.03	35%	-0.02	0%	Negligible